EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	monitor AND system call AND policy AND data (handl$3 | process$3) AND ("726/1, 26,27,30.ccls. | "713/155-159".ccls. | 709/225.ccls.) AND (@pd<""20030127" | @ad<""20030127" | @prad<""20030127" | @rlad<""20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 15:48
L2	28	process AND monitor AND system call AND policy AND data (handl$3 | process$3) AND ("726/1,26,27,30.ccls. | "713/155-159". ccls. | 709/225.ccls.) AND (@pd<""20030127" | @ad<""20030127" | @prad<""20030127" | @rlad<""20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:07
L3	4770	(beresnevichiene.in. | plaquin.in. | dalton. in.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:08
L4	24	(beresnevichiene.in. | plaquin.in. | dalton. in.) AND ("713".clas. | "726".clas. | "380". clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:15
L5	4	(beresnevichiene.in. | plaquin.in. | dalton. in.) AND system call AND ("713".clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:15
L6	28	process AND monitor AND system call AND policy AND data (handl$3 | process$3) AND ("726/2,16,26,27-30.ccls. | 713/164-167, 189.ccls. | 380/59.ccls.) AND (@pd<""20030127" | @ad<""20030127" | @prad<""20030127" | @rlad<""20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:29
L7	60	process AND monitor AND system call AND data (handl$3 | process$3) AND ("726/2, 16,26,27-30.ccls. | 713/164-167,189.ccls. | 380/59.ccls.) AND (@pd<""20030127" | @ad<""20030127" | @prad<""20030127" | @rlad<""20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:29
L8	1	process AND call monitor AND system call AND data (handl$3 | process$3) AND ("726/2,16,26,27-30.ccls. | 713/164-167, 189.ccls. | 380/59.ccls.) AND (@pd<""20030127" | @ad<""20030127" | @prad<""20030127" | @rlad<""20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:29

L10	38	monitor AND system call AND policy AND (tag | label) AND ("726/1,26,27,30.ccls. | "713/155-159".ccls. | 709/225.ccls.) AND (@pd<""20030127"" | @ad<""20030127"" | @prad<""20030127"" | @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:34
L11	15	(access control NEAR (process | application)) AND monitor AND system call AND ("726/2,16,26,27-30.ccls. | 713/164-167,189.ccls. | 380/59.ccls. AND (@pd<""20030127"" | @ad<""20030127"" | @prad<""20030127"" | @rlad<""20030127"")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 16:37
S1	431	726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:13
S2	21	policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:31
S3	11	kernel AND policy AND system call AND 726/1.ccls. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:50
S4	105	kernel AND policy AND system call AND "726"/.clas. AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:50
S5	188	kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:59
S6	96	encryption AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:51

EAST Search History

S7	117	process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:39
S8	60	tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:52
S9	31	memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:53
S10	31	data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:53
S11	30	supervisor AND data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:54
S12	0	NOT ginter.inv. AND supervisor AND data AND memory space AND tag AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:54
S13	157	NOT ginter.inv. AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:59

S14	90	NOT ginter.inv. AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 07:56
S15	12	memory space AND (NOT ginter.inv.) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:41
S16	9	NOT ginter.inv. AND monitor AND memory space AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 08:41
S17	2	"5757908".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:12
S18	2	"5925126".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:15
S19	2	"5956710".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:18
S20	18	monitor AND policy AND system call AND 726/1.ccls. AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:34
S21	23	monitor AND policy AND system call AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:36
S22	0	policy AND system call monitor AND (726/1.ccls. OR 713/187.ccls.) AND (@pd< "20030127" or @ad< "20030127" or @prad< "20030127" or @rlad< "20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:36

EAST Search History

S23	0	policy AND system call NEAR monitor AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 09:36
S24	28	process AND data AND policy AND system call AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:00
S25	77	(detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:02
S26	60	(handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:03
S27	45	monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:04
S28	36	(handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:12

S29	29	monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:12
S30	18	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND monitor AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:12
S31	23	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:21
S32	27	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND (detect OR detecting OR detected OR detection OR detector OR monitor) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (system call OR call) AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:30

S33	2	(encrypt OR encrypted OR encrypting OR encryptor OR encryption) AND (handle OR handled OR handling) AND (determine OR determined OR determining) AND ((detect OR detecting OR detected OR detection OR detector OR monitor) NEAR (system call OR call)) AND (write OR writing OR wrote OR written) AND process AND data AND policy AND (726/1.ccls. OR 713/187.ccls.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:31
S34	2	"5937159".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:37
S35	115	operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:42
S36	114	security AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:41
S37	57	operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:43
S38	50	space AND user AND memory AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:48
S39	23	memory space AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 14:49

EAST Search History

S40	1	memory space AND operating system AND process AND (encryption OR encrypt OR encrypted OR encrypting) AND kernel space AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 15:18
S41	51	process AND (data OR information) AND tag AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 10:28
S43	39	input AND process AND (data OR information) management AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:31
S44	31	operating system AND input AND process AND (data OR information) management AND policy AND system call AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:33
S45	328	operating system AND input AND process AND (data OR information) management AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:34
S46	101	(operation OR function OR functionality) AND operating system AND (data OR information) input AND process AND (data OR information) management AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:35
S47	22	(operating system NEAR (operation OR function OR functionality)) AND (data OR information) input AND process AND (data OR information) management AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20030127" or @ad<"20030127" or @prad<"20030127" or @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:35
S48	2	"5909688".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 13:54

EAST Search History

S49	2	"6282657".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 08:10
S50	2	"5684948".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 08:10
S51	109	monitor AND system call AND policy AND (tag | label) AND ("726".clas. | "713".clas. | "380".clas. | "705".clas.) AND (@pd<"20030127" | @ad<"20030127" | @prad<"20030127" | @rlad<"20030127")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/17 15:54
S53	2	"6658571".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/18 09:53